

Z E O C A T - E D



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 814548

ZEOCAT – 3D: OVERVIEW AND MAIN GOALS

María Tripiana Serrano

Basic project data

Title	Development of a bifunctional hierarchically structured zeolite based nano-catalyst using 3D-technology for direct conversion of methane into aromatic hydrocarbons via methane dehydroaromatization
Acronym	ZEOCAT-3D
Grant Agreement number	814548
Coordinator	OPTIMIZACION ORIENTADA A LA SOSTENIBILIDAD SL (IDENER)
Start date	1st of April 2019
End date	30th of September 2022
Overall Budget	€ 6,764,020
Eu Contribution	€ 6,764,020
Call	H2020-NMBP-ST-IND-2018
Topic	CE-NMBP-24-2018 - Catalytic transformation of hydrocarbons (RIA)

Table of contents

1. The context
2. Main goal and objectives
3. Challenges and solutions
4. Implementation
5. Partners
6. Where are we?

1 The context

The context



Aromatics are essential for some of the most extensive petrochemical products



Their utilization is associated with severe environmental consequences (aquatic species destruction, global warming,..)



Current production methods are considered unsustainable

The context



Aromatics are essential for some of the most extensive petrochemical products



Their utilization is associated with severe environmental consequences (aquatic species destruction, global warming,..)




Current production methods are considered unsustainable

The ZEOCAT-3D project proposes an alternative, which consists of obtaining these high-value chemicals (benzene, naphthalene, among others) from methane from sources like biogas and natural gas through an improved catalytic process called methane dehydroaromatization (MDA).

2 Main goal and objectives

Main goal and objectives

The goal of the project ZEOCAT-3D is the development of a new bi-functional (two types of active centers) structured catalysts, achieving for the first time a tetramodal pore size distribution (micro-, meso1-, meso2-, macro-porous) and high dispersion of metal active sites for the conversion of methane, coming from different sources as natural gas and biogas, into high value chemicals such as aromatics (benzene, naphthalene, among others) via methane dehydroaromatization (MDA).



Main goal and objectives



Development and production of an improved catalyst



Design, construction and validation of a catalytic reactor



Rational design of catalyst / Multiscale modelling

Main goal and objectives




Development and production of an improved catalyst



Design, construction and validation of a catalytic reactor



Rational design of catalyst / Multiscale modelling



- ✓ Improved methane conversion (>50%)
- ✓ Increased selectivity towards benzene (>90%)
- ✓ Enhanced performance (7 times less deactivation)
- ✓ Higher yield rates (up to 80%)

3 Challenges and solutions

Challenges and solutions

Challenges of the MDA process

Difficult activation of the C-H bond of CH₄ molecule, high reactivity of the products compared to methane, and acid sites of zeolites are occupied by coke deposition.

Problems to solve

The main drawbacks associated the process are low methane conversion, low selectivity towards the desired products and the quick deactivation due to carbon deposition onto the catalyst.

The solution

These problems will be overcome by the use of hierarchical zeolites structures synthesized by 3D-printing and loaded with doped molybdenum nano-oxides.

Challenges and solutions (Key elements)

Catalyst

Development and production of improved catalyst, a 3D hierarchical structure with bi-functional activity (two types of active centers).

Reactor

Design, construction and validation of catalytic reactor, with improved productivity for direct methane MDA into aromatics.

Modelling


Rational design of catalyst/multi-scale modelling, for achieving multimodal pore size distribution (micro-, meso1-, meso2-, macro-porous).

Feedstock

Optimization for different methane feedstock, which will bring enormous advantages for increasing the exploitation of natural gas and biogas.


4 Implementation

Implementation




WP1. Definition
of requirements
and
specifications


Implementation




Implementation




Implementation




Implementation




Implementation



Implementation



Implementation



5 Partners




ZEOCAT-3D

Partners



vito



TU/e




HELLENIC
PETROLEUM




6 Where are we?


Where are we?



Where are we?



Where are we?



Thank you

Any questions?

María Tripijana Serrano

maria.tripiana@idener.es